Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	1.	("6362868").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/21 11:57
L15	1	09/113053.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:55
L16	1	("6755509").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/21 11:55
L17	1	("6362868").PN.	DERWENT	OR	OFF	2006/07/21 11:57
L18	1	1999-132531.NRAN.	DERWENT	OR	ON	2006/07/21 12:30
L19	1	("6315200").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/21 14:39
L20	1	("5706041").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/21 15:18
L21	4647	347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:18
L22	778	21 and (laminated laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:18
S1	4442	347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:31
S2	592	S1 and silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 09:31
53	376	S2 and bubble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/10 09:31

S4	161	S3 and (laminated laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/02/10 09:58
			DERWENT; IBM_TDB			•
\$5	65	S3 and (ejectable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:05
S6	189	S2 and (laminated laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:18
57	171	S6 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:05
S8	103	S7 and (lithographically lithography)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:12
S9	1	("20040113985").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/10 10:54
S10	588	S2 and nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:55
S11	376	S10 and bubble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:55
S12	221	S11 and (passage passages)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:55
S13	205	S12 and (structure structures)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:55

		0.0	1,10,2001	00	ON .	2005/02/12 12:55
S14	205	S13 and (ejected ejectable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 10:56
S15	194	S2 and (laminate laminated lamination lamina)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:13
S16	176	S15 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:13
S17	106	S16 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:12
S18	91	S17 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:13
S19	106	S17 and heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:13
S20	106	S17 and bubble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:13
521	106	S17 and boiling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:15
S22	106	S20 and boiling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:16
S23	319	347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:16

S24	15	S23 and lithography	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:17
S25		S23 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:17
S26	9	S25 and (lamination laminate lamina laminated laminating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:02
S27	7	S26 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:18
S28	248	kubby.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:02
S29	5	S28 and 347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:03
530	65275	printhead print-head (print adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:04
S31	8969	S30 and bubble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:04
S32	1709	S31 and (laminate laminating lamina lamination laminated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:06
S33	349	S32 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:04

	····			0.0	T	1 2225/22/42 45 24
S34	332	S33 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:04
S 35	7	S34 and 347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/10 15:05
S36	5410	S31 and (laminate laminating lamina lamination laminated layer layered layering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:07
S37	349	S32 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:07
S 38	863	S36 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/10 15:07
S 39	783	S38 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:07
540	16	S39 and 347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:31
S41	20000	S30 and (laminate laminating laminated lamination layer layered layering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:31
S42	1405	S41 and (lithography lithographically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:31
S43	426	S42 and ((above higher greater more) with (boiling vaporization vaporizing boil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:33

Page 5

S44	412	S43 and bubble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:33
S45	411	S44 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:39
S46	9	S45 and 347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:42
S47	9	S43 and 347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:42
S48	173	S43 and 347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:42
S49	173	S45 and 347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:20
S50	319	347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:20
S51	38	S50 and silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 17:21
S52	1	("5850241").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 14:32
S53	1	10/773191.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:43

S54	4447	347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:44
\$55	595	S54 and silverbrook.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/14 15:44
S56	546	S55 and (hole opening aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:44
S57	513	S56 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:44
S58	265	S57 and elongate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:45
S59	265	S58 and nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:45
S60	265	S59 and (laminate laminated laminating lamination layer layered layering stack stacking stacked)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:46
S61	203	S60 and communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:51
562	132	S61 and passage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:48
S63	202	S60 and (sheet plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:52

			- 	г		
S64	4447	347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:53
S65	2753	S64 and (layer layered layering laminate lamination laminating laminated stack stacking stacked)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:53
S66	1403	S65 and (ink with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:54
S67	932	S66 and (channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:54
S68	847 ,	S67 and (hole aperture opening)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:54
S69	214	S68 and elongate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:55
S70	306	S68 and (elongate elongated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:15
S71	288	S70 and (adjacent abut abutting).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:55
S72	164	S71 and (angle angled diagonal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:56
S73	23	S56 and ((elongate elongated) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:17

					T	0005/5=
S74	1	09/112764.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:19
S75	65338	printhead print-head (print adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/14 16:19
S76	12353	S75 and (ink with supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:19
S77	18523	S75 and (ink with supply chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:19
S78	1700	S77 and ((elongate elongated oval) with (hole channel aperture opening passage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:20
S79	1085	S78 and (angle diagonal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:20
S80	937	S79 and (layer layered layering laminate laminating laminated lamination stack stacking stacked)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:21
S81	846	S80 and nozzle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:21
\$82	771	S81 and (adjacent distal proximal abut abutting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:22
583	724	S82 and (align aligned alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:22

S84	725	S82 and (align aligned alignment aligning)	US-PGPUB;	OR	ON	2006/02/14 16:32
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·		
S 85	136	S84 and 347/54-62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:23
S86	453	S84 and (ink adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 16:32
S87	394	S86 and wafer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:59
S88	1	("5856836").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/15 11:59
S89	1552	347/63,65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 16:14
S90	1	("5714078").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/19 15:47
S91	446	S89 and micron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 16:14
S92	411	S91 and (inlet opening aperture hole slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 16:15
S93		S92 and narrower	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 12:41

S94	. 29	S93 and laminated	US-PGPUB;	OR	ON	2006/07/20 13:06
394	25	393 and familiated	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .		2000/07/20 13:00
S95	4	(("5850241") or ("5856836") or ("5841452") or ("20040113985")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/20 12:43
S96	1552	347/63,65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:23
S97	1552	S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:06
S98	450	S97 and laminate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:06
S99	388	S98 and (inlet aperture hole opening) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:24
S10 0	73	S98 and ((inlet aperture hole opening) with (narrower larger))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:03
S10 1	2618	347/40,63,65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:46
S10 2	618	S101 and laminate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:46
\$10 3	536	S102 and (inlet aperture hole opening)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:24

S10 4	116	S102 and ((inlet aperture hole opening) with (narrower larger))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:46
S10 5	43	S104 not S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:24
S10 6	1	("20050200653").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/20 14:29
S10 7	1	("5565900").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/20 14:22
S10 8	1	("6543880").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/20 14:22
S10 9	1	("6362868").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/20 14:29
S11 0	2052	347/42,63,65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:46
\$11 1	566	S110 and laminate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:46
S11 2	347	S110 and ((inlet aperture hole opening) with (narrower larger smaller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:47
S11 3	105	S111 and ((inlet aperture hole opening) with (narrower larger smaller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:47
S11 4	105	S113 not S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:47

511 5	32	S114 not S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:06
S11 6	1	("6543880").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/07/20 17:43
S11 7	4	("6467874" "6520624" "6575559" "6637858").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/20 18:08